


TM 10-8415-236-10

TECHNICAL MANUAL
OPERATOR MANUAL
FOR

EXTENDED COLD WEATHER CLOTHING SYSTEM
GENERATION III (ECWCS GEN III)



SUPERSEDEURE NOTICE: TM 10-8415-236-10 dated 1 November 2014
supersedes TM 10-8415-236-10 dated 30 June 2008, including all changes.

DISTRIBUTION STATEMENT A - Approved for Public Release; Distribution is
Unlimited.

HEADQUARTERS, DEPARTMENT OF THE ARMY
1 NOVEMBER 2014

WARNING SUMMARY

This warning summary contains general safety warnings and hazardous materials warnings that must be understood and applied during operation and maintenance of this equipment. Failure to observe these precautions could result in serious injury or death to personnel. Also included are explanations of safety and hazardous material icons used within the technical manual.

For first aid information, refer to FM 4-25.11.

EXPLANATION OF HAZARDOUS MATERIALS ICONS



BIOLOGICAL – biohazard symbol means that contact with nuclear or biological material can cause harm to the equipment or the user.



CHEMICAL – drops of liquid on hand shows that the material will cause burns or irritation to human skin or tissue.



FIRE – flame shows that a material may ignite and cause burns.

GENERAL SAFETY WARNINGS DESCRIPTIONS

WARNING

Pressing, starching, dry cleaning, or the use of fabric softener will degrade the ECWCS GEN III. Failure to following these instructions could result in harm to the soldier.

WARNING

DO NOT store in plastic bags that could trap moisture.

WARNING



If exposed to any nuclear, biological, or chemical (NBC) elements, then dispose of in accordance with FM 3-3.

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., 1 NOVEMBER 2014

TECHNICAL MANUAL

OPERATOR MANUAL
FOR

EXTENDED COLD WEATHER CLOTHING SYSTEM GENERATION
III
(ECWCS GEN III)

REPORTING ERRORS AND RECOMMENDING IMPROVEMENTS

You can help improve this publication. If you find any errors, or if you would like to recommend any improvements to the procedures in this publication, please let us know. The preferred method is to submit your DA Form 2028 (Recommended Changes to Publications and Blank Forms) through the Internet on the TACOM Unique Logistics Support Applications (TULSA) Web site. The Internet address is <https://tulsa.tacom.army.mil>. Access to all applications requires CAC authentication, and you must complete the Access Request form the first time you use it. The DA Form 2028 is located under the TULSA Applications on the left-hand navigation bar. Fill out the form and click on SUBMIT. Using this form on the TULSA Web site will enable us to respond more quickly to your comments and to better manage the DA Form 2028 program. You may also mail, e-mail, or fax your comments or DA Form 2028 directly to the U.S. Army TACOM Life Cycle Management Command. The postal mail address is U.S. Army TACOM Life Cycle Management Command, ATTN: AMSTA-LCL-MPP / TECH PUBS, MS 727, 6501 E. 11 Mile Road, Warren, MI 48397-5000. The e-mail address is tacomlcmcmdaform2028@us.army.mil. The fax number is DSN 786-1856 or Commercial (586) 282-1856. A reply will be furnished to you.

SUPERSEDURE NOTICE: TM 10-8415-236-10 dated 01 November 2014 supersedes TM 10-8415-236-10 dated 30 June 2008, including all changes.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

TABLE OF CONTENTS

WP No. and Page No.

How to Use This Manual	v
Chapter 1 – General Information, Equipment Description and Data, and Theory of Operation	
General Information	WP 0001-1
Equipment Description and Data	WP 0002-1
Figure 1. Light-Weight Cold Weather Undershirt and Drawers	0002-2
Figure 2. Mid-Weight Cold Weather Shirt and Drawers	0002-3
Figure 3. Fleece Cold Weather Jacket.....	0002-4
Figure 4. Wind Cold Weather Jacket	0002-5
Figure 5. Soft Shell Jacket and Trousers	0002-7
Figure 6. Extreme Cold/Wet Weather Jacket and Trousers.....	0002-8
Figure 7. Extreme Cold Weather Parka and Trousers.....	0002-9
Table 1. Physical Data for the ECWCS GEN III.....	0002-10
Theory of Operation	WP 0003-1

TABLE OF CONTENTS – Continued

WP No. and Page No.

Chapter 2 – Operator Instructions

Operation Under Usual Conditions	WP 0004-1
Figure 1. Active, Cold: 0° to 30°F.....	0004-3
Figure 2. Active, Wet/Intermittent Wet: 40°F (±10°) ...	0004-4
Figure 3. Active, Cold/Wet: 35° to 45°F	0004-5
Figure 4. Active, Extreme Cold: -25° to 0°F	0004-6
Figure 5. Static, Cold/Wet: 30° to 45°F	0004-7
Figure 6. Static, Wet: Above 45°F.....	0004-8
Figure 7. Static, Cold: 0° to 30°F	0004-9
Figure 8. Static, Extreme Cold: -50° to 0°F.....	0004-10
Operation Under Unusual Conditions.....	WP 0005-1

Chapter 3 – Troubleshooting Procedures

Troubleshooting Procedures.....	WP 0006-1
---------------------------------	-----------

Chapter 4 – Operator Maintenance Instructions

Preventative Maintenance Checks and Services	WP 0007-1
Table 1. Preventative Maintenance Checks and Services	0007-2
Replace Hardware	WP 0008-1

TABLE OF CONTENTS – Continued

WP No. and Page No.

Chapter 4 – Operator Maintenance Instructions, Continued

Fabric Repair.....	WP 0009-1
Figure 1. Straight Stitch.....	0009-1
Figure 2. Edge Sew.....	0009-1
Figure 3. Turn Edge Under and Sew	0009-2
Cleaning	WP 0010-1
Table 1. Approved Waterproofing/Waterproof Restoring Compounds for Outer Shell Layer	0010-3

Chapter 5 – Supporting Information

References.....	WP 0011-1
Components of End Items and Basic Issue Items Lists	WP 0012-1
Table 1. Components of End Item List (COEI)	0012-3
Table 2. Basic Issue Items List (BII)	0012-24
Expendable and Durable Items Lists.....	WP 0013-1
Table 1. Expendable and Durable Items List.....	0013-2

HOW TO USE THIS MANUAL

HOW TO OBTAIN TECHNICAL MANUALS

When a new system is introduced to the Army inventory, it is the responsibility of the receiving units to notify and inform the Unit Publications Clerk that a Technical Manual is available for the new system. Throughout the life cycle of the new system, the Distribution Center DOL-W will also provide updates and changes to the Technical Manual.

To receive new Technical Manuals or change packages to existing Technical Manuals (TM) for fielded equipment, provide the Unit Publications Clerk the full Technical Manual number, title, date of publication, and number of copies required. The Unit Publications Clerk will justify the request through the Unit Publications Officer. When the request is approved, the Unit Publications Clerk will use DA Form 12-R to order the series of Technical Manuals from the Army Publishing Directorate (APD).

Instructions for Unit Publications Clerk

Obtain DA Form 12-R and request a publications account from the APD Web site at <http://www.apd.army.mil>. Once on the Website, click on the "Orders/Subscriptions/Reports" tab. From the dropdown menu, select "Establish an Account," then select "Tutorial" and follow the instructions in the tutorial presentation.

Complete information for obtaining Army publications can be found in DA PAM 25-33.

To order this technical manual, follow the link below:

<https://www.logsa.army.mil/etms/online.htm>

OVERVIEW

This manual contains operating instructions and maintenance procedures for the Extended Cold Weather Clothing System Generation III (ECWCS GEN III) and is divided into the following major sections:

Chapter 1. General Information, Equipment Description and Data and Theory of Operation. Provides descriptions, equipment data, and theory of operation information.

Chapter 2. Operator Instructions. Provides sizing information, donning information, and operating instructions in both usual and unusual conditions.

Chapter 3. Troubleshooting Procedures. Provides troubleshooting procedures for the ECWCS GEN III.

Chapter 4. Operator Maintenance Instructions. Provides instructions on hardware replacement, pad suspension replacement, cleaning the ECWCS GEN III, and PMCS.

Chapter 5. Supporting Information. Provides reference information, Components of End Items (COEI)/ Basic Issue Items (BI) Lists, and the Expendable and Durable Items List for the ECWCS GEN III.

NAVIGATION

This TM is in work package format. All of the work packages contained within the TM are listed in the table of contents in the order they appear by chapters. The work package sequence number (e.g. WP 0001) is listed for each work package in the table of contents. The work package sequence number is at the top of each page of the work package and is also a part of the page number for each work package (e.g. 0001-1). The page numbers appear at the bottom of each page.

OPERATION AND MAINTENANCE

Before you use the Extended Cold Weather Clothing System Generation III (ECWCS GEN III) familiarize yourself with the assembly and fitting instructions and the operating instructions (Chapter 2). Perform maintenance procedures (Chapter 4) on a regular basis. Always follow the WARNINGS and CAUTIONS.

CHAPTER 1

GENERAL INFORMATION, EQUIPMENT DESCRIPTION,

AND THEORY OF OPERATION

FOR

EXTENDED COLD WEATHER CLOTHING SYSTEM

GENERATION III (ECWCS GEN III)

OPERATOR GENERAL INFORMATION

SCOPE

This manual covers the basic fitting and use instructions for the Extended Cold Weather Clothing System Generation III (ECWCS GEN III), hereafter called the ECWCS GEN III.

MAINTENANCE, FORMS, RECORDS AND REPORTS

Department of the Army forms and procedures used for equipment maintenance will be those prescribed by (as applicable) DA PAM 750-8, The Army Maintenance Management System (TAMMS) Users Manual; DA PAM 738-751; or AR 700-138, Army Logistics Readiness and Sustainability.

REPORTING EQUIPMENT IMPROVEMENT RECOMMENDATIONS (EIR)

If your ECWCS GEN III needs improvement, let us know. Send us an EIR. You, the user, are the only one who can tell us what you don't like about your equipment. Let us know why you do not like the design or performance.

All non-Aviation/Missile EIRs and PQDRs must be submitted through the Product Data Reporting and Evaluation Program (PDREP) Web site. The PDREP site is: <https://www.pdrep.csd.disa.mil/>.

If you do not have internet access, you may submit your information using an SF 368 (Product Quality Deficiency Report). You can send your SF 368 using email, regular mail, or fax using the addresses/fax numbers specified in DA PAM 750-8, The Army Maintenance Management System (TAMMS) Users Manual. We will send you a reply.

CORROSION PREVENTION AND CONTROL (CPC)

Corrosion Prevention and Control (CPC) of Army materiel is a continuing concern. It is important that any corrosion or degradation problems with this item be reported so that the problem can be corrected and improvements can be made to prevent the problem in future items. Corrosion specifically occurs with metals. It is an electrochemical process that causes the degradation of metals. It is commonly caused by exposure to moisture, acids, bases, or salts. An example is the rusting of iron. Corrosion damage in metals can be seen, depending on the metal, as tarnishing, pitting, fogging, surface residue, and/or cracking.

Plastics, composites, and rubbers can also degrade. Degradation is caused by thermal (heat), oxidation (oxygen), solvation (solvents), or photolytic (light, typically UV) processes. The most common exposures are excessive heat or light. Damage from these processes will appear as cracking, softening, swelling, and/or breaking.

SF Form 368, Product Quality Deficiency Report should be submitted to the address specified in DA PAM 750-8, The Army Maintenance Management System (TAMMS) Users Manual.

DESTRUCTION OF ARMY MATERIEL TO PREVENT ENEMY USE

Not Applicable to the ECWCS GEN III.

PREPARATION FOR STORAGE OR SHIPMENT

Do not store the ECWCS GEN III in a compressed manner, for it tends to lose some of its thermal capability when stored this way. To properly prepare for storage or shipment, make sure that the system's components are loosely folded and are not wrapped in plastic.

LIST OF ABBREVIATIONS/ACRONYMS

Table 2. List of Acronyms and Abbreviations.

Abbreviation/ Acronym	Name
AAL	Additional Authorization List
ACU	Army Combat Uniform
ATTN	Attention
BII	Basic Issue Items
C	Celsius
CAGEC	Commercial and Government Entity Code
COEI	Components of End Item
COLD	Clean, Overheating, Loose and Layered, Dry
CPC	Corrosion Prevention and Control
CTA	Common Table of Allowances
DA	Department of the Army
DoD	Department of Defense
F	Fahrenheit
FM	Field Manual
ECWCS	Extended Cold Weather Clothing System
GEN III	Generation Three
JTA	Joint Table of Allowances
MTOE	Modified Table Of Organization and Equipment
NBC	Nuclear, Biological, and Chemical
NSN	National Stock Number
OCP	Operation Enduring Freedom (Camouflage Pattern)
PGC	Procurement Group Code
TAMMS	The Army Maintenance Management System
TDA	Table of Distribution and Allowances
TM	Technical Manual
TOC	Table of Contents
TOE	Table of Organization and Equipment
UCP	Universal Camouflage Pattern
U/I	Unit of Issue
UOC	Usable on Code
UV	Ultra Violet
WP	Work Package

END OF WORK PACKAGE

OPERATOR EQUIPMENT DESCRIPTION AND DATA

EQUIPMENT CHARACTERISTICS, CAPABILITIES AND FEATURES

The ECWCS GEN III allows you to dress to adapt to varying missions and environments. It is important for you to have ECWCS GEN III components that fit you properly.

The ECWCS GEN III is made up of variable layers. Modularity of the system allows you to adapt the components to your mission and environment.

The ECWCS GEN III helps the soldier retain body heat, remain dry, and provides ventilation.

The ECWCS GEN III is a multi-layered, insulating system.

The ECWCS GEN III provides insulation to reduce the loss of body heat, and help wick moisture away from your body.

The ECWCS GEN III is made up of layers that increase air space, allow you to easily adjust to your activity level, and is wind/water proof/repellant.

The ECWCS GEN III can be ventilated in order to release unneeded heat and allow moisture to escape.

DESCRIPTION OF MAJOR COMPONENTS: BASE LAYER(S)

The Base Layer

Base layer (Figure 1) are those adjacent to your body and should be worn comfortably loose. The main purpose of these garments is to wick excess moisture away from your body. The Light-Weight Cold Weather Undershirt and Drawers (silk-weight) make up the base layer. The Mid-Weight Cold Weather Undershirt and Drawers (Figure 2) can be used as either a base or insulating layer.

BASE LAYER(S) – CONTINUED

Light-Weight Cold Weather Undershirt and Drawers: Base Layer

Long sleeve top and full-length bottom garments constructed out of silk-weight moisture wicking polyester (Figure 1). The undershirt has a crew neck with long sleeves and is equipped with thumb loops at the ends of the sleeves to aid in donning outerwear over the shirt. Flat seam construction reduces chafing. Material aids in the movement of moisture from the skin to the outer layers both while the wearer is moving or static. The drawers have an elastic waistband and standard front fly opening. It is worn next to the skin or with the Mid-Weight Cold Weather Shirt/Drawers for added insulation and to aid in the transfer of moisture.



Figure 1. Light-Weight Cold Weather Undershirt and Drawers.

DESCRIPTION OF MAJOR COMPONENTS: INSULATION LAYER(S)

Insulation Layers(s)

The insulation layer(s) (Figures 2 and 3) are the intermediate layer(s). They provide volume to enable you to trap warm air between your body and the outer garments. The insulation layer(s) also help wick away any excess moisture. These layers should be comfortably loose to trap a sufficient volume of air. The Mid-Weight Cold Weather Undershirt and Drawers (Figure 2), and Fleece Cold Weather Jacket (Figure 3) make up the insulation layers. The Fleece Cold Weather Jacket can also be used as an outer layer.



Figure 2. Mid-Weight Cold Weather Shirt and Drawers.

INSULATION LAYER(S) – CONTINUED

Mid-Weight Cold Weather Shirt and Drawers: Base or Insulation Layer

Long sleeve top and full-length bottom garments made out of polyester “grid” fleece (Figure 2). The shirt is equipped with a zippered neck and thumb loops at the ends of the sleeves to aid in donning outerware over the shirt. Provides light insulation for use in mild climates as well as acting as a layer for colder climates. During movement, provides an increase in surface area for the transportation of moisture away from the wearer. It may be worn over the Light-Weight Cold Weather Undershirt and Drawers as an insulating layer or next to the skin as a base layer.

Fleece Cold Weather Jacket: Insulation or Outer Shell Layer

The Fleece Cold Weather Jacket (Figure 3) is Foliage Green 504 or Tan 499 and acts as a primary insulation layer for use in moderate to cold climate. It is worn underneath shell layers or worn as an outer garment for mild cool days. It has a hook and loop fastening system for name tag, rank, and US Army emblem placement, as well as a full length zipper on center front. The Tan version is used with the OEF Camouflage Pattern (OCP) ECWCS GEN III.



Figure 3. Fleece Cold Weather Jacket.

DESCRIPTION OF MAJOR COMPONENTS: OUTER SHELL LAYER(S)

The outer shell layers are the external layers that protect you from the elements in your environment. They are made of a highly water and wind resistant material that provides greater moisture vapor transfer over current hard shell garments. Their main function is to keep you dry. They also provide additional volume for trapping body heat. Increased breathability improves performance of the insulation layers by decreasing saturation due to moisture vapor accumulation. These layers should be worn comfortably loose. The components in the outer shell layer include the Wind Cold Weather Jacket (Figure 4); Soft Shell Jacket and Trousers (Figure 5); Extreme Cold/Wet Weather Jacket and Trousers (Figure 6); and the Extreme Cold Weather Parka and Trousers (Figure 7).

Wind Cold Weather Jacket: Outer Shell Layer

The Wind Cold Weather Jacket (Figure 4) is made of a lightweight, wind resistant, and water repellant material. It acts as a minimum outer shell layer, improving the moisture wicking performance of the insulation layers when combined with Body Armor and/or Army Combat Uniform. Use for wind protection during windy cool days.



Figure 4. Wind Cold Weather Jacket.

OUTER SHELL LAYER(S) – CONTINUED

The Wind Cold Weather Jacket features a simple collar instead of a hood, a hook and loop fastening system for name tag, rank, and US Army emblem placement, as well as pockets designed with mesh linings to aid in ventilation. Available in UCP and OCP.

Soft Shell Jacket and Trousers: Outer Shell Layer

The Soft Shell Jacket (Figure 5) features a storable hood, shoulder pads with a hook and loop fastening system for name tag, rank, and US Army emblem placement, adjustable cuffs, underarm zippers, pockets designed with mesh linings to aid in ventilation, and an extended tail on the jacket to provide overlap to prevent snow from entering the system. The Soft Shell Jacket is available in UPC and fire-resistant OCP.

The Soft Shell Trousers (Figure 5) feature detachable suspenders (compatible with all trousers), front pockets with flap, drop seat capability, thigh cargo pockets, articulated knee, adjustable ankle cuff, and side zips on the lower leg to provide access when donning and doffing boots. The Soft Shell Trousers are available in UPC and fire-resistant OCP.

OUTER SHELL LAYER(S) – CONTINUED



Figure 5. Soft Shell Jacket and Trousers.

OUTER SHELL LAYER(S) – CONTINUED

Extreme Cold/Wet Weather Jacket and Trousers: Outer Shell Layer

The Extreme Cold/Wet Weather Jacket and Trousers (Figure 6) is a waterproof layer for use in prolonged and/or hard rain and cold/wet conditions. It is available in UCP and OCP. It is best used when temperatures are alternating between freezing and thawing, which creates mud and slush on the ground. Suspenders can be used with trousers if desired. The Extreme Cold/Wet Weather Jacket features a storable hood and pass-thru pockets. Extreme Cold/Wet Weather Trousers feature side zips on the lower legs to provide access when donning and doffing boots.



Figure 6. Extreme Cold/Wet Weather Jacket and Trousers.

OUTER SHELL LAYER(S) – CONTINUED

Extreme Cold Weather Parka and Trousers: Outer Shell Layer

The Extreme Cold Weather Parka and Trousers (Figure 7) provide superior warmth with high compactability, low weight, and low volume. It is highly water and wind resistant providing wind and moderate moisture protection. It is sized to fit over the Body Armor during movement or static activities. Trousers design incorporates full side zips to allow for rapid donning and doffing over Soft Shell Trousers. For extreme cold weather and climates; the outer most layer for last layer of protection.



Figure 7. Extreme Cold Weather Parka and Trousers.

EQUIPMENT DATA

Table 1 shows physical data for the layers of the ECWCS GEN III.

NOTE

Table 1 shows approximate weight due to variations in sizes.

Table 1. ECWCS GEN III Data (Maximum Values for All Models).

Clothing Item	Layer	LBS (KG)	Qty
Light-weight Cold Weather Undershirt	Base	0.35 (0.16)	2
Light-weight Cold Weather Drawers	Base	0.3 (0.14)	2
Mid-weight Cold Weather Shirt	Base/ Insulation	0.7 (0.32)	1
Mid-weight Cold Weather Drawers	Base/ Insulation	0.6 (0.27)	1
Fleece Jacket	Insulation/ Outer	1.05 (0.48)	1
Wind Cold Weather Jacket	Outer	0.75 (0.34)	1
Soft Shell Jacket Cold Weather	Outer	1.5 (0.68)	1
Soft Shell Trousers Cold Weather (w/suspenders)	Outer	1.6 (0.73)	1
Extreme Cold/Wet Weather Jacket	Outer	0.75 (0.34)	1
Extreme Cold/Wet Weather Trousers	Outer	0.85 (0.39)	1
Extreme Cold Weather Parka	Outer	2.3 (1.05)	1
Extreme Cold Weather Trousers	Outer	2.1 (0.95)	1
TOTAL SYSTEM WEIGHT (KG): 12.85 (5.84)			

END OF WORK PACKAGE

**OPERATOR
THEORY OF OPERATION**

THEORY OF OPERATION

This work package discusses the theory of operation of the ECWCS GEN III.

Extended Cold Weather Clothing System Generation III (ECWCS GEN III) is a breathable multi-layered, versatile, insulating system that allows the soldier to adapt to varying mission requirements and environmental conditions. The system is designed to maintain adequate environmental protection between 40°F and -60°F (4°C and -51°C). The ECWCS GEN III system uses moisture management principles to transfer perspiration away from your skin so you will remain dry and warm.

Under certain conditions such as high work activity followed by inactivity, the use of cotton clothing items with ECWCS GEN III will reduce the level of environmental protection provided by ECWCS GEN III.

In cold, wet and arctic environments it is recommended that you use only clothing items listed in the COEI list. Cotton undergarments and ACUs (cotton blends) are not recommended for use with the GEN III ECWCS.

ECWCS GEN III is not cumbersome in weight and bulk; the total system weighs approximately 13 pounds. ECWCS GEN III is easy to maintain both in field and garrison environments if the special use and care instructions are carefully followed.

END OF WORK PACKAGE

CHAPTER 2
OPERATOR INSTRUCTIONS
FOR
EXTENDED COLD WEATHER CLOTHING SYSTEM
GENERATION III (ECWCS GEN III)

OPERATOR MAINTENANCE OPERATION UNDER USUAL CONDITIONS

INITIAL SETUP:

Tools

N/A

References

WP 0010

Materials/Parts

N/A

OPERATING PROCEDURES

Keep ECWCS GEN III Clean. Clothing keeps you warm by trapping warm air against your body and in the pores of the clothing itself. If these pores become filled with dirt, sweat, or other grime, the clothing will not be able to do its job efficiently. Therefore, your clothes should be kept as clean as possible to keep you as dry as possible (Refer to WP 0010).

Avoid Overheating During Activity. The key is not to be hot or cold, but comfortably cool. Sweating is a sign that your body wants, and needs, to cool down. Let the environment cool you down naturally, to avoid sweating. This may be as simple as opening buttons or unzipping the underarms of the soft shell parka, instead of removing a whole layer of clothing. Once you stop your work, or feel yourself getting cold, bundle up again just enough to keep cool.

Wear ECWCS GEN III Clothing Loose and Layered. Clothes should fit loosely for comfort. The more layers used, the more warm air will be trapped. Tight clothing will also prevent air from being trapped between your body and your clothing. It is the trapped air that keeps you warm, not the clothes. Several thin layers working together will work better than one thick layer alone (i.e. wear both the Light-Weight and Mid-Weight base layers with a Fleece Jacket insulation layer and Soft Shell Jacket and Trousers outer shell layer).

OPERATING PROCEDURES – CONTINUED

Keep Clothing Dry. Clothing must be kept dry from the outside, such as putting on Extreme Wet/Cold Weather Jacket and Trousers during wet conditions, and from the inside, such as taking a layer off when you start to sweat. Once your clothes are wet, the water or sweat starts to evaporate, drawing warmth away from your body 25 times faster than when dry.

RECOMMENDED AND OPTIONAL CONFIGURATIONS

NOTE

Clothing combinations shown in Figures 1 through 8 represent both recommended and optional configurations.





Figure 1. Active, Cold: 0° to 30°F.




LEGEND

Items to be Worn at this Temperature (Cold 0° to 30°F):

- 1-2 Light-Weight Cold Weather Undershirt and Drawers
- 3-4 Mid-Weight Cold Weather Shirt and Drawers
- 5-6 Soft Shell Jacket and Trousers



Figure 2. Active, Wet/Intermittent Wet:
40°F ($\pm 10^\circ$).




LEGEND

Items to be Worn at this Temperature (Wet/Intermittent Wet 40°F ($\pm 10^\circ$)):

- 1-2 Light-Weight Cold Weather Undershirt and Drawers
- 3 Wind Cold Weather Jacket
- 4 Soft Shell Trousers



Figure 3. Active, Cold/Wet: 35° to 45°F.



LEGEND


Items to be Worn at this Temperature (Cold/Wet 35° to 45°F):

1-2 Light-Weight Cold Weather Undershirt and Drawers

3-4 Soft Shell Jacket and Trousers



Figure 4. Active, Extreme Cold: -25° to 0°F.



LEGEND

Items to be Worn at this Temperature (Extreme Cold -25° to 0°F)

1-2 Light-Weight Cold Weather Undershirt and Drawers

3-4 Mid-Weight Cold Weather Shirt and Drawers

5 Fleece Cold Weather Jacket

6-7 Soft Shell Jacket and Trousers







Figure 6. Static, Wet: Above 45°F.




LEGEND

Items to be Worn at this Temperature (Wet Above 45°F):

- 1-2 Light-Weight Cold Weather Undershirt and Drawers
- 3 Mid-Weight Cold Weather Shirt
- 4-5 Extreme Cold/Wet Weather Jacket and Trousers



Figure 7. Static, Cold: 0° to 30°F.



LEGEND

Items to be Worn at this Temperature (Cold 0° to 30°F):


1-2 Mid-Weight Cold Weather Shirt and Drawers

3-4 Soft Shell Jacket and Trousers

5 Extreme Cold Weather Parka



Figure 8. Static, Extreme Cold: -50° to 0°F.



LEGEND

Items to be Worn at this Temperature (Extra Cold -50° to 0°F):

1-2 Light-Weight Cold Weather Shirt and Drawers

3-4 Mid-Weight Cold Weather Shirt and Drawers

5 Fleece Cold Weather Jacket

6-7 Soft Shell Jacket and Trousers

8-9 Extreme Cold Weather Parka and Trousers

DECALS AND INSTRUCTION PLATES

Tags located on the item would be of the Care and Maintenance variety, placed in specific spots on each of the items.

END OF WORK PACKAGE

**OPERATOR MAINTENANCE
OPERATION UNDER UNUSUAL CONDITIONS**

INITIAL SETUP:**Tools**

N/A

References

N/A

Materials/Parts

N/A

**INTERIM CHEMICAL, BIOLOGICAL, RADIOLOGICAL, AND
NUCLEAR (CBRN) DECONTAMINATION PROCEDURES****WARNING**

If the ECWCS is exposed to any chemical, biological, radiological, or nuclear (CBRN) elements, dispose of the system in accordance with FM 3-3.

END OF WORK PACKAGE

CHAPTER 3
TROUBLESHOOTING PROCEDURES
FOR
EXTENDED COLD WEATHER CLOTHING SYSTEM
GENERATION III (ECWCS GEN III)

**OPERATOR TROUBLESHOOTING
TROUBLESHOOTING PROCEDURES**

INITIAL SETUP:**Tools**
N/A**References**
N/A**Materials/Parts**
N/A

This work package lists troubleshooting tasks for each component of the ECWCS GEN III, along with the appropriate repair procedure.

NOTE

The proper combination of sizes per component is incorporated into the general size of the system itself. There is no mixing and matching necessary.

TROUBLESHOOTING PROCEDURE**ECWCS GEN III****SYMPTOM**

Clothing size is too big.

MALFUNCTION

Unwanted gaps will allow air to penetrate outer guard.

CORRECTIVE ACTION

Replace system with one of correct size.

END OF TASK**SYMPTOM**

Clothing size is too small.

MALFUNCTION

System will collapse and be unable to properly repel unwanted air intrusion.

CORRECTIVE ACTION

Replace system with one of correct size.

END OF TASK

SYMPTOM

Clothing hook and loop fastening system contains debris.

MALFUNCTION

May cause lack of adhesion between the two connecting hook and loop surfaces.

CORRECTIVE ACTION

Use special hook and loop combing tool to clean/clear the strip area of debris and other entanglements

END OF TASK**SYMPTOM**

Zipper is jamming due to stickiness.

MALFUNCTION

Zipping/unzipping will be difficult, if not impossible.

CORRECTIVE ACTION

Rub a thin coating of wax or lead-pencil graphite on each side of the track and work zipper back and forth a few times. The wax or graphite lubricates the zipper and allows it to open or close more easily.

END OF TASK**SYMPTOM**

Zipper is damaged.

MALFUNCTION

Zipping/unzipping is impossible.

CORRECTIVE ACTION

Turn in to central issue facility (CIF) and obtain a replacement.

END OF TASK**END OF WORK PACKAGE**

CHAPTER 4

OPERATOR MAINTENANCE INSTRUCTIONS

FOR

EXTENDED COLD WEATHER CLOTHING SYSTEM

GENERATION III (ECWCS GEN III)

**OPERATOR MAINTENANCE
PREVENTIVE MAINTENANCE CHECKS AND SERVICES (PMCS)**

INITIAL SETUP:**Tools and Special Tools**

N/A

Personnel Required

N/A

Equipment Condition

N/A

References

N/A

GENERAL

Preventive maintenance checks and services (PMCS) are performed to keep the ECWCS GEN III in operating condition. The checks are used to find, correct, and report problems. The operator is to do the PMCS tasks shown in PMCS Table 1. PMCS is to be done before, during, and after use of the ECWCS GEN III.

Before you use the ECWCS GEN III, perform PMCS.

During use of the ECWCS GEN III, periodically perform PMCS.

After you have used the ECWCS GEN III, perform PMCS.

PMCS Column Description

Column (1) ITEM NO. The order the PMCS should be performed.

Column (2) INTERVAL. Tells when the check should be performed.

Column (3) ITEM TO BE CHECKED OR SERVICED. Tells which items to perform the PMCS procedure on.

Column (4) PROCEDURE. Tells which procedure is to be performed. If item cannot be repaired, it must be replaced.

Column (5) EQUIPMENT NOT READY/AVAILABLE IF. Tells what conditions render the ECWCS GEN III unfit to perform the mission.

PREVENTIVE MAINTENANCE CHECKS AND SERVICES

Table 1. PMCS for ECWCS GEN III.

ITEM NO.	INTER-VAL	ITEM TO BE CHECKED OR SERVICED	PROCEDURE	EQUIPMENT NOT READY/ AVAILABLE IF:
1	Before During After	Light-Weight Drawers and Undershirt	Check for cuts, frays, or other damage to the fabric or stitching. Refer to higher level maintenance for repair.	Excessive cuts, frays, or other damage to the fabric or stitching.
2	Before During After	Mid-Weight Drawers	Check for cuts, frays, or other damage to the fabric or stitching. Refer to higher level maintenance for repair.	Excessive cuts, frays, or other damage to the fabric or stitching.
3	Before During After	Mid-Weight Shirt	Check for cuts, frays, or other damage to the fabric or stitching. Refer to higher level maintenance for repair. Check for sticky or damaged slide fastener. Apply wax or graphite to sticky zipper or refer to higher maintenance for repair.	Excessive cuts, frays, or other damage to the fabric or stitching. Excessive damage to the slide fastener.

Table 1. PMCS for ECWCS GEN III – Continued.

ITEM NO.	INTER-VAL	ITEM TO BE CHECKED OR SERVICED	PROCEDURE	EQUIPMENT NOT READY/ AVAILABLE IF:
4	Before During After	Fleece Jacket	<p>Check for cuts, frays, or other damage to the fabric or stitching. Refer to higher level maintenance for repair.</p> <p>Check for cracked, worn, or damaged hardware (slide fasteners, slide fastener thongs, tape hook and loop, and binding). Refer to higher maintenance for repair.</p>	<p>Excessive cuts, frays, or other damage to the fabric or stitching.</p> <p>Hardware is cracked, worn, or damaged.</p>
5	Before During After	Wind Jacket	<p>Check for cuts, frays, or other damage to the fabric or stitching. Refer to higher level maintenance for repair.</p> <p>Check for cracked, worn, or damaged hardware (slide fasteners, slide fastener thongs, tape hook and loop, barrel lock, and cannon clip. Refer to higher maintenance for repair.</p>	<p>Excessive cuts, frays, or other damage to the fabric or stitching.</p> <p>Hardware is cracked, worn, or damaged.</p>

Table 1. PMCS for ECWCS GEN III – Continued.

ITEM NO.	INTER-VAL	ITEM TO BE CHECKED OR SERVICED	PROCEDURE	EQUIPMENT NOT READY/ AVAILABLE IF:
6	Before During After	Mid-Weight Jacket (Soft)	<p>Check for cuts, frays, or other damage to the fabric or stitching. Refer to higher level maintenance for repair.</p> <p>Check for cracked, worn, or otherwise damaged hardware (slide fasteners, slide fastener thongs, tape hook and loop, barrel lock, grommet and cannon clip). Refer to higher maintenance for repair.</p>	<p>Excessive cuts, frays, or other damage to the fabric or stitching.</p> <p>Hardware is cracked, worn, or otherwise damaged.</p>
7	Before During After	Mid-Weight Trousers (Soft)	<p>Check for cuts, frays, or other damage to the fabric or stitching. Refer to higher level maintenance for repair.</p> <p>Check for cracked, worn, or damaged hardware (slide fasteners, slide fastener thongs, tape hook and loop, barrel lock, snap fasteners and cannon clip). Refer to higher maintenance for repair.</p>	<p>Excessive cuts, frays, or other damage to the fabric or stitching</p> <p>Hardware is cracked, worn, or damaged.</p>

Table 1. PMCS for ECWCS GEN III – Continued.

ITEM NO.	INTER-VAL	ITEM TO BE CHECKED OR SERVICED	PROCEDURE	EQUIPMENT NOT READY/ AVAILABLE IF:
8	Before During After	Extreme Cold/Wet Jacket	<p>Check for cuts, frays, or other damage to the fabric or stitching. Refer to higher level maintenance for repair.</p> <p>Check for cracked, worn, or damaged hardware (slide fasteners, slide fastener thongs, tape hook and loop, barrel lock, snap fasteners and cannon clip). Refer to higher maintenance for repair.</p>	<p>Excessive cuts, frays, or other damage to the fabric or stitching.</p> <p>Hardware is cracked, worn, or damaged.</p>
9	Before During After	Extreme Cold/Wet Trousers	<p>Check for cuts, frays, or other damage to the fabric or stitching. Refer to higher level maintenance for repair.</p> <p>Check for cracked, worn, or damaged hardware (slide fasteners, slide fastener thongs, tape hook and loop, barrel lock, snap fasteners and cannon clip). Refer to higher maintenance for repair.</p>	<p>Excessive cuts, frays, or other damage to the fabric or stitching.</p> <p>Hardware is cracked, worn, or damaged.</p>

Table 1. PMCS for ECWCS GEN III – Continued.

ITEM NO.	INTERVAL	ITEM TO BE CHECKED OR SERVICED	PROCEDURE	EQUIPMENT NOT READY/ AVAILABLE IF:
10	Before During After	Extreme Cold Parka	<p>Check for cuts, frays, or other damage to the fabric or stitching. Refer to higher level maintenance for repair.</p> <p>Check for cracked, worn, or damaged hardware (slide fasteners, slide fastener thongs, tape hook and loop, barrel lock, snap fasteners and cannon clip). Refer to higher maintenance for repair.</p>	<p>Excessive cuts, frays, or other damage to the fabric or stitching.</p> <p>Hardware is cracked, worn, or damaged.</p>
11	Before During After	Extreme Cold Trousers	<p>Check for cuts, frays, or other damage to the fabric or stitching. Refer to higher level maintenance for repair.</p> <p>Check for cracked, worn, or damaged hardware (slide fasteners, slide fastener thongs, tape hook and loop, barrel lock, snap fasteners and cannon clip). Refer to higher maintenance for repair.</p>	<p>Excessive cuts, frays, or other damage to the fabric or stitching.</p> <p>Hardware is cracked, worn, or damaged.</p>

END OF WORK PACKAGE

**OPERATOR MAINTENANCE
HARDWARE REPLACE**

INITIAL SETUP:**Tools**

N/A

References

N/A

Materials/Parts

Kit, Sewing (WP 0013, Item 1)

REPLACE

This work package provides instructions for replacing the hardware in the ECWCS GEN III.

DRAW CORDS

1. Replace missing or defective elastic draw cords in length to match original.
2. If barrel lock is broken, tie ends of draw cords into large knots until a new cord can be obtained from the organizational supply unit.

END OF TASK**END OF WORK PACKAGE**

**OPERATOR MAINTENANCE
FABRIC REPAIR**

INITIAL SETUP:**Tools**
N/A**References**
N/A**Materials/Parts**
N/A

REPAIR

This work package provides instructions for repairing the fabric of the ECWCS GEN III.

Base Layer

1. To mend a ripped seam, overlap the two edges and sew with straight and small stitches.



Figure 1. Straight Stitch.

2. To repair a tear, place the two edges together on the inside and sew together.



Figure 2. Edge Sew.

-
3. To mend a frayed edge, turn the frayed edge under and sew.



Figure 3. Turn Edge Under and Sew.

END OF TASK

Parka/Trousers

NOTE

The following procedures represent field expedient or temporary measures.

1. **Stitch.** As shown in Figure 2, loosely stitch the rip or tear, keeping the seam as flat as possible.
2. **Field Tape.**
 - a. Turn the garment inside out, keeping the rip or tear as flat as possible.
 - b. Cut the appropriate size of tape to cover the rip or tear.
 - c. Round the edge of the tape to reduce fraying.
 - d. Place the tape over the rip or tear and press firmly.

END OF TASK

END OF WORK PACKAGE

**OPERATOR MAINTENANCE
CLEANING**

INITIAL SETUP:**Tools**
N/A**References**
N/A**Materials/Parts**

Revivex® (WP 0013, Item 2)
Nikwax, TX Direct, Wash-in
(WP 0013, Item 3)

CLEANING

This work package gives instructions for cleaning the ECWCS GEN III.

WARNING

DO NOT store in plastic bags that could trap moisture.

When laundering, refrain from using fabric softener or bleach.

CAUTION

DO NOT press, starch, dry clean, bleach or use fabric softener: doing so will destroy the integrity of the ECWCS GEN III.

NOTE

Clean ECWCS GEN III clothing items regularly when in use. Dirty clothes wear out quickly because dirt cuts textile fibers and retains moisture from perspiration. Prior to laundering and drying, make sure all the draw-cords are tied together, all zippers are zipped, and all snaps and hooks are fastened. Securing these items will result in a better laundered garment.

Field Care

NOTE

The following are easy things you can do to keep your ECWCS GEN III in top-notch shape and ready to use.

1. Brush off all dirt and debris during use.
2. Store in patrol packs or rucksacks to protect while transporting.
3. Clean your clothing items regularly. Dirty clothes wear out quickly because dirt cuts fibers and retains moisture. Refer to procedures detailed under home laundering paragraph.
4. When required, use items listed in Table 1 to restore water repellency to the outer shell layer. See the section "Restoring Water Repellency to the Outer Shell Layers."

END OF TASK

Home Laundering

CAUTION

Solvents/lubricants can bind and ruin silicones on soft shell.

These guidelines apply for all items and their layers:

1. Machine-laundry using the delicate/gentle fabric cycle or by hand. Use lukewarm water (90°F/32°C) and cold water laundry detergent.
2. Rinse in clean, cold water.
3. Tumble dry wet garments at temperatures not exceeding 130°F/54°C as degradation of the component materials will result.
4. Avoid over-drying.
5. To drip dry, place on a rust-proof hanger.

END OF TASK

Restoring Water Repellency to the Outer Shell Layers

Repeated washings will reduce the effectiveness of the water repellency of the ECWCS GEN III outer shell layer. Water will be absorbed and the fabric will “wet out” instead of beading on the surface. When this happens, the water repellency will need to be restored. Table 1 below lists approved waterproofing and waterproof restoring compounds authorized for use on the outer shell layer. Follow manufacturer’s recommended directions on the container.

Table 1. Approved Waterproofing and Waterproof Restoring Compounds for Outer Shell Layer.

Item	U/I	Source
Spray, Revivex®	5 or 10 oz. bottle	GSA
Nikwax®, TX Direct Wash-in	10 oz. bottle	Local Purchase

END OF TASK

END OF WORK PACKAGE

CHAPTER 5
SUPPORTING INFORMATION
FOR
EXTENDED COLD WEATHER CLOTHING SYSTEM
GENERATION III (ECWCS GEN III)

**OPERATOR
REFERENCES**

SCOPE

This work package lists related field manuals, forms, technical manuals, and miscellaneous publications.

MISCELLANEOUS PUBLICATIONS/FORMS

AR 700-138	Army Logistics Readiness and Sustainability
CTA 50-970	Expendable/Durable Items (Except Medical, Class V Repair Parts, and Heraldic Items),
CTA 50-909	Field and Garrison Furnishings and Equipment
CTA 8-100	Army Medical Department Expendable/ Durable Items
DA Form 2028	Recommended Changes to Publications and Blank Forms
DA PAM 738-751	Army Logistics Readiness and Sustainability
DA PAM 750-8	The Army Maintenance Management System (TAMMS) Users Manual
FM 3-3	NBC Element Disposal
FM 3-11.3	Contamination Avoidance
FM 4-25.11	First Aid Information
SF 368	Product Quality Deficiency Report

END OF WORK PACKAGE

OPERATOR COMPONENTS OF END ITEM AND BASIC ISSUE ITEMS

INTRODUCTION

Scope

This work package lists Components of End Item (COEI) and Basic Issue Items (BII) for the ECWCS GEN III. The lists will help you inventory items for safe and efficient operation of the equipment.

General

The COEI and BII information is divided into two lists:

Components of End Item (COEI). This list is for information purposes only and is not authority to requisition replacements. These items are part of the ECWCS GEN III. As part of the end item, these items must be with the end item whenever it is issued or transferred between property accounts. Items of COEI are removed and separately packaged for transportation or shipment only when necessary. Illustrations are furnished to help you find and identify the items.

Basic Issue Items (BII). These essential items are required to place the ECWCS GEN III in operation, operate it and to do emergency repairs. Although shipped separately packaged, BII must be with the ECWCS GEN III during operation and when it is transferred between property accounts. Listing these items is your authority to request/requisition them for replacement based on authorization of the end item by the TOE/MTOE. Illustrations are furnished to help you find and identify the items.

Explanation of Columns in the COEI List and BII List

Column (1) Illus No. Gives you the reference number of the item listed.

Column (2) National Stock Number (NSN) and Illustration. Identifies the stock number of the item to be used for requisitioning purposes and provides a graphic of the item.

Column (3) Description, Part Number/(CAGEC). Identifies the Federal item name (in all capital letters) followed by a minimum description when needed. The stowage location of COEI and BII is also included in this column. The last line below the description is the part number and the Commercial and Government Entity Code (CAGEC) (in parentheses).

Column (4) U/I. Unit of Issue (U/I). Indicates the physical measurement or count of the item as issued per the National Stock Number shown in column (2).

Column (5) Qty Rqr. Indicates the quantity required.

Table 1. Components of End Item (COEI) List.

(1) Illus No.	(2) National Stock Number (NSN) and Illustration	(3) Description, Part Number/(CAGEC)	(4) U/I	(5) Qty Rqr
1	 8415-01-547-6577 8415-01-547-6580 8415-01-547-6680 8415-01-538-7780 8415-01-547-6681 8415-01-538-7785 8415-01-547-6691 8415-01-538-7786 8415-01-538-7787 8415-01-538-7791 8415-01-538-7795 8415-01-547-6789 8415-01-547-6800 8415-01-547-6815 8415-01-547-7008	UNDERSHIRT, LIGHT- WEIGHT (SILK-WEIGHT), COLD WEATHER, DESERT SAND, GEN III, PGC: 03628; LIN: U31387; GL/PD-06-01 (81337) X-SMALL-SHORT X-SMALL-REGULAR SMALL-SHORT SMALL-REGULAR SMALL-LONG MEDIUM-REGULAR MEDIUM-LONG LARGE-REGULAR LARGE-LONG X-LARGE-REGULAR X-LARGE-LONG X-LARGE-X-LONG XX-LARGE-REGULAR XX-LARGE-LONG XX-LARGE-X-LONG	EA	1

Table 1. Components of End Item (COEI) List — Continued.


(1) Illus No.	(2) National Stock Number (NSN) and Illustration	(3) Description, Part Number/(CAGEC)	(4) U/I	(5) Qty Rqr
2	 8415-01-547-8674 8415-01-547-8675 8415-01-547-8683 8415-01-538-8468 8415-01-547-8684 8415-01-538-8472 8415-01-547-8698 8415-01-538-8474 8415-01-538-8477 8415-01-538-8482 8415-01-538-8486 8415-01-547-8728 8415-01-547-8747 8415-01-547-8749 8415-01-547-8755	2 DRAWERS, LIGHT- WEIGHT (SILK-WEIGHT), COLD WEATHER, DESERT SAND, GEN III, PGC: 03629; LIN: D74128; GL/PD-06-14 (81337) X-SMALL-SHORT X-SMALL-REGULAR SMALL-SHORT SMALL-REGULAR SMALL-LONG MEDIUM-REGULAR MEDIUM-LONG LARGE-REGULAR LARGE-LONG X-LARGE-REGULAR X-LARGE-LONG X-LARGE-X-LONG XX-LARGE-REGULAR XX-LARGE-LONG XX-LARGE-X-LONG	EA	1

Table 1. Components of End Item (COEI) List — Continued.


(1) Illus No.	(2) National Stock Number (NSN) and Illustration	(3) Description, Part Number/(CAGEC)	(4) U/I	(5) Qty Rqr
3	 8415-01-545-7672 8415-01-545-7676 8415-01-545-7717 8415-01-538-8727 8415-01-545-7768 8415-01-538-8730 8415-01-545-7810 8415-01-538-8745 8415-01-538-8747 8415-01-538-8750 8415-01-538-8751 8415-01-545-7960 8415-01-545-7965 8415-01-545-7966 8415-01-545-7968	3 DRAWERS, MID-WEIGHT, COLD WEATHER, DESERT SAND, GEN III, PGC: 03261; LIN: D74812; GL/PD-06-15 (81337) X-SMALL-SHORT X-SMALL-REGULAR SMALL-SHORT SMALL-REGULAR SMALL-LONG MEDIUM-REGULAR MEDIUM-LONG LARGE-REGULAR LARGE-LONG X-LARGE-REGULAR X-LARGE-LONG X-LARGE-X-LONG XX-LARGE-REGULAR XX-LARGE-LONG XX-LARGE-X-LONG	EA	1

Table 1. Components of End Item (COEI) List — Continued.

(1) Illus No.	(2) National Stock Number (NSN) and Illustration	(3) Description, Part Number/(CAGEC)	(4) U/I	(5) Qty Rqr
4		SHIRT, MID-WEIGHT, COLD WEATHER, DESERT SAND, GEN III, PGC: 03260; LIN: S08535; GL/PD-06-02 (81337) X-SMALL-SHORT X-SMALL-REGULAR SMALL-SHORT SMALL-REGULAR SMALL-LONG MEDIUM-REGULAR MEDIUM-LONG LARGE-REGULAR LARGE-LONG X-LARGE-REGULAR X-LARGE-LONG X-LARGE-X-LONG XX-LARGE-REGULAR XX-LARGE-LONG XX-LARGE-X-LONG	EA	1

Table 1. Components of End Item (COEI) List — Continued.


(1) Illus No.	(2) National Stock Number (NSN) and Illustration	(3) Description, Part Number/(CAGEC)	(4) U/I	(5) Qty Rqr
5	 <p>8415-01-546-6712</p> <p>8415-01-546-6713</p> <p>8415-01-546-6722</p> <p>8415-01-538-6739</p> <p>8415-01-546-6721</p> <p>8415-01-538-6742</p> <p>8415-01-546-7444</p> <p>8415-01-538-6747</p> <p>8415-01-538-6752</p> <p>8415-01-538-6754</p> <p>8415-01-538-6768</p> <p>8415-01-546-7504</p> <p>8415-01-546-7536</p> <p>8415-01-546-7550</p> <p>8415-01-546-7662</p>	<p>JACKET, FLEECE WEIGHT, COLD WEATHER, FOLIAGE GREEN 504, GEN III, PGC: 03253, LIN: J21883;</p> <p>X-SMALL-SHORT (504)</p> <p>X-SMALL-REGULAR</p> <p>SMALL-SHORT</p> <p>SMALL-REGULAR</p> <p>SMALL-LONG</p> <p>MEDIUM-REGULAR</p> <p>MEDIUM-LONG</p> <p>LARGE-REGULAR</p> <p>LARGE-LONG</p> <p>X-LARGE-REGULAR</p> <p>X-LARGE-LONG</p> <p>X-LARGE-X-LONG</p> <p>XX-LARGE-REGULAR</p> <p>XX-LARGE-LONG</p> <p>XX-LARGE-X-LONG</p>	EA	1

Table 1. Components of End Item (COEI) List — Continued.


(1) Illus No.	(2) National Stock Number (NSN) and Illustration	(3) Description, Part Number/(CAGEC)	(4) U/I	(5) Qty Rqr
5 cont.	5  8415-01-580-1331 8415-01-580-1332 8415-01-580-1334 8415-01-580-1336 8415-01-580-1337 8415-01-580-1341 8415-01-580-1348 8415-01-580-1355 8415-01-580-1358 8415-01-580-1362 8415-01-580-1366 8415-01-580-1368 8415-01-580-1371 8415-01-580-1377 8415-01-580-1383	JACKET, FLEECE WEIGHT, COLD WEATHER, TAN 499, PGC: 03645, LIN: E95281 GL/PD-06-03 (81337) X-SMALL-SHORT (499) X-SMALL-REGULAR SMALL-SHORT SMALL-REGULAR SMALL-LONG MEDIUM-REGULAR MEDIUM-LONG LARGE-REGULAR LARGE-LONG X-LARGE-REGULAR X-LARGE-LONG X-LARGE-X-LONG XX-LARGE-REGULAR XX-LARGE-LONG XX-LARGE-X-LONG	EA	1

Table 1. Components of End Item (COEI) List — Continued.

(1) Illus No.	(2) National Stock Number (NSN) and Illustration	(3) Description, Part Number/(CAGEC)	(4) U/I	(5) Qty Rqr
6		<p>JACKET, WIND, COLD WEATHER, UNIVERSAL CAMOUFLAGE PATTERN, GEN III, PGC: 03249; LIN: J14656</p> <p>X-SMALL-SHORT (UCP)</p> <p>X-SMALL-REGULAR</p> <p>SMALL-SHORT</p> <p>SMALL-REGULAR</p> <p>SMALL-LONG</p> <p>MEDIUM-REGULAR</p> <p>MEDIUM-LONG</p> <p>LARGE-REGULAR</p> <p>LARGE-LONG</p> <p>X-LARGE-REGULAR</p> <p>X-LARGE-LONG</p> <p>X-LARGE-X-LONG</p> <p>XX-LARGE-REGULAR</p> <p>XX-LARGE-LONG</p> <p>XX-LARGE-X-LONG</p>		

Table 1. Components of End Item (COEI) List — Continued.

(1) Illus No.	(2) National Stock Number (NSN) and Illustration	(3) Description, Part Number/(CAGEC)	(4) U/I	(5) Qty Rqr
6 cont.		<p>JACKET, WIND, COLD WEATHER, UNIVERSAL CAMOUFLAGE PATTERN, GEN III, OCP, PGC: 03647, LIN: E95531; GL/PD-06-04 (81337)</p> <p>X-SMALL-SHORT (OCP)</p> <p>X-SMALL-REGULAR</p> <p>SMALL-SHORT</p> <p>SMALL-REGULAR</p> <p>SMALL-LONG</p> <p>MEDIUM-REGULAR</p> <p>MEDIUM-LONG</p> <p>LARGE-REGULAR</p> <p>LARGE-LONG</p> <p>X-LARGE-REGULAR</p> <p>X-LARGE-LONG</p> <p>X-LARGE-X-LONG</p> <p>XX-LARGE-REGULAR</p> <p>XX-LARGE-LONG</p> <p>XX-LARGE-X-LONG</p>	EA	1

Table 1. Components of End Item (COEI) List — Continued.


(1) Illus No.	(2) National Stock Number (NSN) and Illustration	(3) Description, Part Number/(CAGEC)	(4) U/I	(5) Qty Rqr
7	 8415-01-546-8888 8415-01-546-8890 8415-01-546-8953 8415-01-538-6808 8415-01-546-8954 8415-01-538-6813 8415-01-547-6251 8415-01-538-6819 8415-01-538-6823 8415-01-538-6825 8415-01-538-6831 8415-01-546-8991 8415-01-546-9197 8415-01-546-9198 8415-01-546-9201	JACKET, SOFT SHELL, COLD WEATHER, UNIVERSAL CAMOUFLAGE PATTERN GEN III, PGC: 03254, LIN: J14588 X-SMALL-SHORT (UCP) X-SMALL-REGULAR SMALL-SHORT SMALL-REGULAR SMALL-LONG MEDIUM-REGULAR MEDIUM-LONG LARGE-REGULAR LARGE-LONG X-LARGE-REGULAR X-LARGE-LONG X-LARGE-X-LONG XX-LARGE-REGULAR XX-LARGE-LONG XX-LARGE-X-LONG	EA	1

Table 1. Components of End Item (COEI) List — Continued.


(1) Illus No.	(2) National Stock Number (NSN) and Illustration	(3) Description, Part Number/(CAGEC)	(4) U/I	(5) Qty Rqr
7 cont.		JACKET, SOFT SHELL, COLD WEATHER, GEN III, OCP, PGC: 03649, LIN: E43299	EA	1
	8415-01-580-3650	X-SMALL-SHORT (OCP)		
	8415-01-580-3660	X-SMALL-REGULAR		
	8415-01-580-3671	SMALL-SHORT		
	8415-01-580-3687	SMALL-REGULAR		
	8415-01-580-3697	SMALL-LONG		
	8415-01-580-3702	MEDIUM-REGULAR		
	8415-01-580-3710	MEDIUM-LONG		
	8415-01-580-3706	LARGE-REGULAR		
	8415-01-580-4011	LARGE-LONG		
	8415-01-580-4016	X-LARGE-REGULAR		
	8415-01-580-3714	X-LARGE-LONG		
	8415-01-580-3718	X-LARGE-X-LONG		
	8415-01-580-3725	XX-LARGE-REGULAR		
	8415-01-580-3728	XX-LARGE-LONG		
	8415-01-580-3731	XX-LARGE-X-LONG		

Table 1. Components of End Item (COEI) List — Continued.


(1) Illus No.	(2) National Stock Number (NSN) and Illustration	(3) Description, Part Number/(CAGEC)	(4) U/I	(5) Qty Rqr
7 cont.	 8415-01-598-8426 8415-01-598-8547 8415-01-598-8549 8415-01-598-8550 8415-01-598-8551 8415-01-598-8554 8415-01-598-8557 8415-01-598-8558 8415-01-598-8424 8415-01-598-8564 8415-01-598-8567 8415-01-598-8569 8415-01-598-8570 8415-01-598-8599 8415-01-598-8600	JACKET, SOFT SHELL, COLD WEATHER, GEN III, FR OCP, PGC: 03815, LIN:F05008 GL/PD-06-05 (81337) (FR OCP) X-SMALL-SHORT X-SMALL-REGULAR SMALL-SHORT SMALL-REGULAR SMALL-LONG MEDIUM-REGULAR MEDIUM-LONG LARGE-REGULAR LARGE-LONG X-LARGE-REGULAR X-LARGE-LONG X-LARGE-X-LONG XX-LARGE-REGULAR XX-LARGE-LONG XX-LARGE-X-LONG		

Table 1. Components of End Item (COEI) List — Continued.


(1) Illus No.	(2) National Stock Number (NSN) and Illustration	(3) Description, Part Number/(CAGEC)	(4) U/I	(5) Qty Rqr
8		TROUSERS, SOFT SHELL, COLD WEATHER, UNIVERSAL CAMOUFLAGE PATTERN GEN III, PGC: 03255, LIN: T36245 X-SMALL-SHORT (UCP) X-SMALL-REGULAR SMALL-SHORT SMALL-REGULAR SMALL-LONG MEDIUM-REGULAR MEDIUM-LONG LARGE-REGULAR LARGE-LONG X-LARGE-REGULAR X-LARGE-LONG X-LARGE-X-LONG XX-LARGE-REGULAR XX-LARGE-LONG XX-LARGE-X-LONG	EA	1

Table 1. Components of End Item (COEI) List — Continued.

(1) Illus No.	(2) National Stock Number (NSN) and Illustration	(3) Description, Part Number/(CAGEC)	(4) U/I	(5) Qty Rqr
8 cont.	 8415-01-580-2962 8415-01-580-2969 8415-01-580-2971 8415-01-580-2977 8415-01-580-2982 8415-01-580-2984 8415-01-580-2988 8415-01-580-2990 8415-01-580-2991 8415-01-580-3191 8415-01-580-3306 8415-01-580-3313 8415-01-580-3329 8415-01-580-3443 8415-01-580-3488	TROUSERS, SOFT SHELL, COLD WEATHER, GEN III, OCP, PGC: 03651, LIN: E43549 X-SMALL-SHORT (OCP) X-SMALL-REGULAR SMALL-SHORT SMALL-REGULAR SMALL-LONG MEDIUM-REGULAR MEDIUM-LONG LARGE-REGULAR LARGE-LONG X-LARGE-REGULAR X-LARGE-LONG X-LARGE-X-LONG XX-LARGE-REGULAR XX-LARGE-LONG XX-LARGE-X-LONG	EA	1

Table 1. Components of End Item (COEI) List — Continued.


(1) Illus No.	(2) National Stock Number (NSN) and Illustration	(3) Description, Part Number/(CAGEC)	(4) U/I	(5) Qty Rqr
8 cont.	 8415-01-598-9323 8415-01-598-9325 8415-01-598-9326 8415-01-598-9327 8415-01-598-9328 8415-01-598-9329 8415-01-598-9330 8415-01-598-9331 8415-01-598-9332 8415-01-598-9333 8415-01-598-9334 8415-01-598-9335 8415-01-598-9336 8415-01-598-9337 8415-01-598-9339	TROUSERS, SOFT SHELL, COLD WEATHER, GEN III, FR OCP, PGC: 03816, LIN: F05009; GL/PD-06-16 (81337) (FR OCP) X-SMALL-SHORT X-SMALL-REGULAR SMALL-SHORT SMALL-REGULAR SMALL-LONG MEDIUM-REGULAR MEDIUM-LONG LARGE-REGULAR LARGE-LONG X-LARGE-REGULAR X-LARGE-LONG X-LARGE-X-LONG XX-LARGE-REGULAR XX-LARGE-LONG XX-LARGE-X-LONG	EA	1

Table 1. Components of End Item (COEI) List — Continued.

(1) Illus No.	(2) National Stock Number (NSN) and Illustration	(3) Description, Part Number/(CAGEC)	(4) U/I	(5) Qty Rqr
9		JACKET, EXTREME COLD/WET WEATHER, UNIVERSAL CAMOUFLAGE PATTERN, GEN III, PGC: 03256, LIN: J23458 8415-01-547-5739 X-SMALL-SHORT (UCP) 8415-01-547-5741 X-SMALL-REGULAR 8415-01-547-5763 SMALL-SHORT 8415-01-538-7001 SMALL-REGULAR 8415-01-547-5765 SMALL-LONG 8415-01-538-7012 MEDIUM-REGULAR 8415-01-547-5797 MEDIUM-LONG 8415-01-538-7761 LARGE-REGULAR 8415-01-538-7764 LARGE-LONG 8415-01-538-7767 X-LARGE-REGULAR 8415-01-538-7769 X-LARGE-LONG 8415-01-547-6146 X-LARGE-X-LONG 8415-01-547-6224 XX-LARGE-REGULAR 8415-01-547-6226 XX-LARGE-LONG 8415-01-547-6229 XX-LARGE-X-LONG	EA	1

Table 1. Components of End Item (COEI) List — Continued.

(1) Illus No.	(2) National Stock Number (NSN) and Illustration	(3) Description, Part Number/(CAGEC)	(4) U/I	(5) Qty Rqr
9		JACKET, EXTREME COLD/WET WEATHER, GEN III, OCP PGC: 03653, LIN: E42924 GL/PD-06-06 (81337)	EA	1
	8415-01-580-2753	X-SMALL-SHORT (OCP)		
	8415-01-580-2761	X-SMALL-REGULAR		
	8415-01-580-2776	SMALL-SHORT		
	8415-01-580-2778	SMALL-REGULAR		
	8415-01-580-2780	SMALL-LONG		
	8415-01-580-2782	MEDIUM-REGULAR		
	8415-01-580-2788	MEDIUM-LONG		
	8415-01-580-2854	LARGE-REGULAR		
	8415-01-580-2856	LARGE-LONG		
	8415-01-580-2861	X-LARGE-REGULAR		
	8415-01-580-2904	X-LARGE-LONG		
	8415-01-580-2917	X-LARGE-X-LONG		
	8415-01-580-2926	XX-LARGE-REGULAR		
	8415-01-580-2928	XX-LARGE-LONG		
	8415-01-580-2941	XX-LARGE-X-LONG		

Table 1. Components of End Item (COEI) List — Continued.


(1) Illus No.	(2) National Stock Number (NSN) and Illustration	(3) Description, Part Number/(CAGEC)	(4) U/I	(5) Qty Rqr
10	 <p>10</p> <p>8415-01-547-3662</p> <p>8415-01-547-3674</p> <p>8415-01-547-4171</p> <p>8415-01-538-6672</p> <p>8415-01-547-4177</p> <p>8415-01-538-6680</p> <p>8415-01-547-4194</p> <p>8415-01-538-6677</p> <p>8415-01-538-6679</p> <p>8415-01-538-6681</p> <p>8415-01-538-6683</p> <p>8415-01-547-4234</p> <p>8415-01-547-4248</p> <p>8415-01-547-4250</p> <p>8415-01-547-4303</p>	<p>TROUSERS, EXTREME COLD/WET WEATHER, UNIVERSAL CAMOUFLAGE PATTERN, GEN III, PGC:03257, LIN: T36205</p> <p>X-SMALL-SHORT (UCP)</p> <p>X-SMALL-REGULAR</p> <p>SMALL-SHORT</p> <p>SMALL-REGULAR</p> <p>SMALL-LONG</p> <p>MEDIUM-REGULAR</p> <p>MEDIUM-LONG</p> <p>LARGE-REGULAR</p> <p>LARGE-LONG</p> <p>X-LARGE-REGULAR</p> <p>X-LARGE-LONG</p> <p>X-LARGE-X-LONG</p> <p>XX-LARGE-REGULAR</p> <p>XX-LARGE-LONG</p> <p>XX-LARGE-X-LONG</p>	EA	1

Table 1. Components of End Item (COEI) List — Continued.


(1) Illus No.	(2) National Stock Number (NSN) and Illustration	(3) Description, Part Number/(CAGEC)	(4) U/I	(5) Qty Rqr
10 cont.	 <p>10</p> <p>8415-01-580-2183 X-SMALL-SHORT (OCP)</p> <p>8415-01-580-2190 X-SMALL-REGULAR</p> <p>8415-01-580-2318 SMALL-SHORT</p> <p>8415-01-580-2323 SMALL-REGULAR</p> <p>8415-01-580-2351 SMALL-LONG</p> <p>8415-01-580-2468 MEDIUM-REGULAR</p> <p>8415-01-580-2493 MEDIUM-LONG</p> <p>8415-01-580-2497 LARGE-REGULAR</p> <p>8415-01-580-2502 LARGE-LONG</p> <p>8415-01-580-2504 X-LARGE-REGULAR</p> <p>8415-01-580-2513 X-LARGE-LONG</p> <p>8415-01-580-2518 X-LARGE-X-LONG</p> <p>8415-01-580-2525 XX-LARGE-REGULAR</p> <p>8415-01-580-2532 XX-LARGE-LONG</p> <p>8415-01-580-2538 XX-LARGE-X-LONG</p>	<p>TROUSERS, EXTREME COLD/WET WEATHER, GEN III, OCP PGC: 03655, LIN: E43367 GL/PD-06-17 (81337)</p>	EA	1

Table 1. Components of End Item (COEI) List — Continued.

(1) Illus No.	(2) National Stock Number (NSN) and Illustration	(3) Description, Part Number/(CAGEC)	(4) U/I	(5) Qty Rqr
11	 <p>8415-01-545-8544</p> <p>8415-01-545-8566</p> <p>8415-01-545-8642</p> <p>8415-01-538-6278</p> <p>8415-01-545-8661</p> <p>8415-01-538-6289</p> <p>8415-01-545-8724</p> <p>8415-01-538-6300</p> <p>8415-01-538-6308</p> <p>8415-01-538-6312</p> <p>8415-01-538-6315</p> <p>8415-01-545-9542</p> <p>8415-01-545-9579</p> <p>8415-01-545-9582</p> <p>8415-01-545-9610</p>	<p>PARKA, EXTREME COLD WEATHER (LOFT), URBAN GRAY, ECWCS GEN III, PGC: 03258; LIN: P05881 GL/PD-06-07 (81337)</p> <p>X-SMALL-SHORT (GRAY)</p> <p>X-SMALL-REGULAR</p> <p>SMALL-SHORT</p> <p>SMALL-REGULAR</p> <p>SMALL-LONG</p> <p>MEDIUM-REGULAR</p> <p>MEDIUM-LONG</p> <p>LARGE-REGULAR</p> <p>LARGE-LONG</p> <p>X-LARGE-REGULAR</p> <p>X-LARGE-LONG</p> <p>X-LARGE-X-LONG</p> <p>XX-LARGE-REGULAR</p> <p>XX-LARGE-LONG</p> <p>XX-LARGE-X-LONG</p>		

Table 1. Components of End Item (COEI) List — Continued.


(1) Illus No.	(2) National Stock Number (NSN) and Illustration	(3) Description, Part Number/(CAGEC)	(4) U/I	(5) Qty Rqr
12	 <p>12</p> <p>8415-01-545-9907</p> <p>8415-01-545-9914</p> <p>8415-01-545-9955</p> <p>8415-01-538-6720</p> <p>8415-01-545-9958</p> <p>8415-01-538-6695</p> <p>8415-01-546-0019</p> <p>8415-01-538-6704</p> <p>8415-01-538-6706</p> <p>8415-01-538-6707</p> <p>8415-01-538-6709</p> <p>8415-01-546-0040</p> <p>8415-01-546-0117</p> <p>8415-01-546-0118</p> <p>8415-01-546-0119</p>	<p>TROUSERS, EXTREME COLD WEATHER (LOFT), URBAN GRAY, GEN III, PGC: 03259; LIN: T57106 GL/PD-06-18 (81337)</p> <p>X-SMALL-SHORT (GRAY)</p> <p>X-SMALL-REGULAR</p> <p>SMALL-SHORT</p> <p>SMALL-REGULAR</p> <p>SMALL-LONG</p> <p>MEDIUM-REGULAR</p> <p>MEDIUM-LONG</p> <p>LARGE-REGULAR</p> <p>LARGE-LONG</p> <p>X-LARGE-REGULAR</p> <p>X-LARGE-LONG</p> <p>X-LARGE-X-LONG</p> <p>XX-LARGE-REGULAR</p> <p>XX-LARGE-LONG</p> <p>XX-LARGE-X-LONG</p>	EA	1

Table 1. Components of End Item (COEI) List — Continued.


(1) Illus No.	(2) National Stock Number (NSN) and Illustration	(3) Description, Part Number/(CAGEC)	(4) U/I	(5) Qty Rqr
13	 8440-01-563-7025 8440-01-563-7026 8440-01-563-7027 8440-01-563-7029 8440-01-591-2538 8440-01-591-2545 8440-01-591-2571 8440-01-591-2582	13 SUSPENDERS, TROUSER, SOFT SHELL, COLD WEATHER, FOLIAGE GREEN 504 OR TAN 499, (GEN III) GL/PD-08-73 (81337) <u>SIZE/LENGTH IN INCHES</u> SHORT (47.5) GREEN 504 REGULAR (49.5) LONG (51.5) X-LONG (53.5) SHORT (47.5) TAN 499 REGULAR (49.5) LONG (51.5) X-LONG (53.5)	EA	1

Table 2. Basic Issue Items (BII).

(1) Illus No.	(2) National Stock Number (NSN) and Illustration	(3) Description, Part Number/ (CAGEC)	(4) U/I	(5) Qty Rqr
1 ↓		TM 10-8415-236-10, Technical Manual, Operator Manual, Extended Cold Weather Clothing System Generation III (ECWCS GEN III)	EA	1

END OF WORK PACKAGE

**OPERATOR
EXPENDABLE AND DURABLE ITEMS LISTS**

INTRODUCTION

Scope

This work package lists expendable and durable items that you will need to operate and maintain the ECWCS GEN III. This list is for information only and is not authority to requisition the listed items. These items are authorized to your by CTA 50-970, Expendable/Durable Items (Except Medical, Class V Repair Parts, and Heraldic Items), CTA 50-909, Field and Garrison Furnishings and Equipments or CTA 8-100, Army Medical Department Expendable/Durable Items.

Explanation of Columns in the Expendable/Durable Items List

Column (1) Item No. This number is assigned to the entry in the list and is references in the narrative instructions to identify the item (e.g., Use brake fluid (WP 0098, item 5))

Column (2) Level. This column identifies the lowest level of maintenance that requires the listed item (C= Crew).

Column (3) National Stock Number (NSN). This is the NSN assigned to the item which you can use to requisition it.

Column (4) Item Name, Description, Part Number (CAGEC). This column provides the other information you need to identify the item. The last line below the description is the part number and the Commercial and Government Entity Code (CAGEC) (in parentheses).

Column (5) U/I. Unit of Issue (U/I) code shows the physical measurement or count of an item, such as gallon, dozen, gross, etc.


Table 1. Expendable and Durable Items List.

(1) Item No.	(2) Level	(3) National Stock Number (NSN)	(4) Item Name, Description, Part Number/ (CAGEC)	(5) U/I
1	C	8315-01-222-0680	Kit, Sewing, A-A-55190 (58536)	EA
2	C	GSA Supply Catalog	Spray, Revivex®, 5 oz, 36225/(OS5T4); 10 oz, 20420 /(OS5T4)	EA
3	C	Local Purchase	Nikwax®, TX Direct Wash-IN, 10 oz	BT

By Order of the Secretary of the Army:

RAYMOND T. ODIERNO
General, United States Army
Chief of Staff

Official:

A handwritten signature in black ink, appearing to read "Gerald B. O'Keefe". The signature is stylized with a large initial "G" and a prominent "B".

GERALD B. O'KEEFE
Administrative Assistant to the
Secretary of the Army
1406916

DISTRIBUTION:

Initially published in electronic media only. When funds become available, this publication will be distributed in accordance with Initial Distribution Number (IDN) 256967 requirements for TM 10-8415-236-10.

TM 10-8415-236-10

PIN: 084917-000